

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**





FIG. 1




**Two low affinity
monovalent ligands**

Fesik, Ellman, others



**High affinity
bivalent ligand**

FIG. 2



**Bivalent association linked
by the surface**

FIG. 3








FIG. 4



High affinity binding of a particular post-translationally modified protein through a two-point contact.



The same protein lacking the modification would be bound weakly via a one-point contact.



Other proteins containing the same modification would be bound weakly via a one-point contact

FIG. 5

G80BP-A: YDQDMQNNTFDDLFWKEGHR
 G80BP-B: NEDWERDDQNPPWDLWMNRA
 GAL4 AD: MDQTAYNAGITTGMENTTMDDVYNYLFDEEDT




FIG. 6A





FIG. 6B



Quantitate Bead-Bound Protein By
SDS-PAGE/Western Blot




FIG. 7

A. [His6Gal80] (nM): 8 4 2 1.5 1 0.75 0.4 0.3 0.2
 His6Gal80 (ng): 200 100 50 37.5 25 17.5 10 7.5 5



B.

His6Gal80 (ng) 84 63 42 30 21 15 10 5



FIG. 8





FIG. 9





FIG. 10




FIG. 11




FIG. 12

- (1) Npip-Npip-Nbsa-Nser-Nlys-Npip-Nbsa-Nlys
- (2) Nbsa-Npip-Nlys-Nser-Nbsa-Nser-Nbsa-Npip
- (3) Nbsa-Nlys-Npip-Nser-Nbsa-Nser-Nall-Nlys
- (4) Nbsa-Nbsa-Nall-Nser-Nall-Npip-Nall-Npip
- (5) Nall-Nall-Nbsa-Nser-Nlys-Nbsa-Nser-Nall
- (6) Nlys-Nlys-Nser-Nser-Npip-Nall-Nbsa-Nser
- (7) Nlys-Nlys-Nser-Nser-Npip-Nbsa-Nall-Nbsa
- (8) Nall-Nlys-Nser-Nser-Nbsa-Nser-Nlys-Nlys
- (9) Npip-Nlys-Nall-Nser-Nbsa-Nser-Nbsa-Nall
- (10) Nbsa-Nlys-Npip-Nser-Nbsa-Nser-Nall-Nlys

FIG. 13





FIG. 14

(A)



(B)



(C)




FIG. 15




FIG. 16






FIG. 17

• Nleu-Nbsa-Nlys-Napp-Ntrp-Nleu
 • Nmba-Nleu-Napp-Nmba-Nbsa-Nffa
 • Nlys-Nmea-Ntrp-Napp-Nleu-Nleu
 • Nmea-Npip-Nmba-Nffa-Napp-Nleu
 • Nleu-Nlys-Nmea-Nleu-Ntrp-Nmea
 • Ntrp-Nffa-Ntrp-Nbsa-Napp-Npip
 • Nffa-Nleu-Nmea-Npip-Nlys-Nleu
 • Npip-Nmea-Nmba-Napp-Nleu-Napp
 • Napp-Nmea-Nmba-Npip-Nffa-Nffa
 • Nleu-Npip-Nbsa-Nmea-Nmba-Nmea

(A)

(B)



(C)





FIG. 18







FIG. 19



GST-binding peptoid + GST-TR

GST-binding peptoid + MBP-TR

Random peptoid + GST-TR




GST-binding peptoid +1 mM GST-TR

GST-binding peptoid + 500nM GST-TR

GST-binding peptoid + 100nM GST-TR

FIG. 20



DIC : $(\text{Pr})\text{N}=\text{C}=\text{N}(\text{Pr})$
 R : any alkyl group

FIG. 21





FIG. 22

FIG. 23A

- 70,000 beads
↓ Pre-sort
- 64,000 beads
↓ MBP-Mdm2-F1
+ E. coli lysate



Hit

↓ Edman Sequencing

FIG. 23B





FIG. 23C






FIG. 24A-24F




FIG 25




FIG. 26A-26C